

March 31, 2025

Waterworks System

Dear Reader:

The following document was created from the CTAS website (ctas.tennessee.edu). This website is maintained by CTAS staff and seeks to represent the most current information regarding issues relative to Tennessee county government.

We hope this information will be useful to you; reference to it will assist you with many of the questions that will arise in your tenure with county government. However, the *Tennessee Code Annotated* and other relevant laws or regulations should always be consulted before any action is taken based upon the contents of this document.

Please feel free to contact us if you have questions or comments regarding this information or any other CTAS website material.

Sincerely,

The University of Tennessee County Technical Assistance Service 226 Anne Dallas Dudley Boulevard, Suite 400 Nashville, Tennessee 37219 615.532.3555 phone 615.532.3699 fax www.ctas.tennessee.edu

Table of Contents

Waterworks System	
Public Acts of 1973 Chapter 194	
Tubile Acts of 1975 chapter 19 1 minimum	

Waterworks System

Public Acts of 1973 Chapter 194

COMPILER'S NOTE: The following act purports to amend Tennessee Code Annotated, Title 53, Chapter 20. However, Title 53 contains only 14 chapters to date. The general law pertaining to Water and Waterworks Companies is found in Title 65, Chapter 27. This act is a public act of local application, and has not been codified in Tennessee Code Annotated.

SECTION 1. Chapter 20 of Title 53 of Tennessee Code Annotated is amended by adding a new section as follows:

Notwithstanding any provision of the law to the contrary, any waterworks system in counties having a population of not less than 47,400 nor more than 50,000, according to the Federal Census of 1970, or any subsequent census, may use pipe made of poly vinyl chloride solvent weld, commonly known as and hereinafter referred to as PVC, for distribution of a public water supply, if it complies with the provisions of this section. The minimum requirements for the use of PVC pipe shall be the National Sanitation Foundation Standard 14, and U. S. Department of Commerce Standards PS-22-70, and the American Society for Testing and Material ASTMD2241-SDR-PR for potable water and all fittings approved by such standards applicable to the use of PVC pipe, including tapped couplings with AWWA and IPS tap and the minimum class of such pipe shall meet a standard of one hundred sixty (160) pounds per square inch working pressure.

SECTION 2. This Act shall not apply to counties of this state having populations, according to the U. S. Census of Population of 1970 or any subsequent census, as follows:

not less than 17,300 nor more than 18,000 not less than 24,300 nor more than 24,500 not less than 58,000 nor more than 60,000 not less than 13,000 nor more than 13,500 not less than 29,100 nor more than 29,500 not less than 43,000 nor more than 43,750 not less than 15,000 nor more than 16,000 not less than 45,000 nor more than 47,775 not less than 22,000 nor more than 22,400 not less than 29,000 nor more than 29,100

SECTION 3. This Act shall take effect on becoming a law, the public welfare requiring

Passed: April 30, 1973.

Source URL: https://www.ctas.tennessee.edu/private-acts/waterworks-system